

# Atlantic County, New Jersey

## Childhood Lead Poisoning Data for Top 10 Municipalities

Municipality	Total Number of Children with 10+mcg/dL	Screening Rate	Number of Unscreened Children
Atlantic City	39	37.0%	2,326
Egg Harbor	0	23.3%	2,163
Galloway	5	19.0%	2,025
Hamilton	1	19.9%	1,379
Pleasantville	19	34.4%	1,207
Brigantine	0	10.3%	775
Somers Point	3	16.3%	705
Ventnor City	8	22.9%	674
Hammonton	2	36.6%	582
Absecon	0	19.2%	459

### NOTES:

- Data sources: NJ Department of Health and Senior Services and US Census 2000.
- Children are defined as those 6 years of age and younger.
- Mcg/dL. Unit of measurement for blood lead levels (BLL). A BLL test is the only way to determine if a child has been exposed to dangerous levels of lead.
- Number of unscreened children derived by subtracting the number of children screened from the total number of children living in the municipality (2007).

Provided courtesy of the Southern Regional Childhood Lead Poisoning Prevention Coalition  
[SouthJerseyLead.com](http://SouthJerseyLead.com)

The SRCLPP Coalition is funded by the NJ Department of Community Affairs and the NJ Department of Health and Senior Services. The Coalition's activities are coordinated by the Southern New Jersey Perinatal Cooperative.

Southern New Jersey Perinatal Cooperative, 2500 McClellan Avenue, Suite 250, Pennsauken, New Jersey 08109  
Phone: 856.665.6000 Fax: 856.665.771 [www.snjpc.org](http://www.snjpc.org)

# Burlington County, New Jersey

## Childhood Lead Poisoning Data for Top 10 Municipalities

Municipality	Total Number of Children with 10+mcg/dL	Screening Rate	Number of Unscreened Children
Evesham	0	10.3%	3,335
Mount Laurel	1	12.4%	2,609
Pemberton	7	11.9%	2,050
Willingboro	2	16.9%	2,042
Burlington	1	12.9%	1,861
Medford	1	7.1%	1,617
Moorestown	1	9.6%	1,352
Maple Shade	1	11.9%	1,143
Delran	0	7.4%	1,107
Lumberton	0	10.5%	927

### NOTES:

- Data sources: NJ Department of Health and Senior Services and US Census 2000.
- Children are defined as those 6 years of age and younger.
- Mcg/dL. Unit of measurement for blood lead levels (BLL). A BLL test is the only way to determine if a child has been exposed to dangerous levels of lead.
- Number of unscreened children derived by subtracting the number of children screened from the total number of children living in the municipality (2007).

### Provided courtesy of the Southern Regional Childhood Lead Poisoning Prevention Coalition

*SouthJerseyLead.com*

The SRCLPP Coalition is funded by the NJ Department of Community Affairs and the NJ Department of Health and Senior Services. The Coalition's activities are coordinated by the Southern New Jersey Perinatal Cooperative.

Southern New Jersey Perinatal Cooperative, 2500 McClellan Avenue, Suite 250, Pennsauken, New Jersey 08109  
Phone: 856.665.6000 Fax: 856.665.771 [www.snjpc.org](http://www.snjpc.org)

# Camden County, New Jersey

## Childhood Lead Poisoning Data for Top 10 Municipalities

Municipality	Total Number of Children with 10+mcg/dL	Screening Rate	Number of Unscreened Children
Camden City	57	37.7%	5,537
Gloucester Twp	1	10.4%	4,801
Cherry Hill	1	14.5%	4,066
Winslow	6	16.3%	2,841
Pennsauken	8	21.1%	2,168
Voorhees	1	10.7%	1,940
Lindenwold	0	24.0%	1,129
Haddon	0	11.5%	864
Pine Hill Borough	0	12.7%	842
Gloucester City	1	12.1%	793

### NOTES:

- Data sources: NJ Department of Health and Senior Services and US Census 2000.
- Children are defined as those 6 years of age and younger.
- Mcg/dL. Unit of measurement for blood lead levels (BLL). A BLL test is the only way to determine if a child has been exposed to dangerous levels of lead.
- Number of unscreened children derived by subtracting the number of children screened from the total number of children living in the municipality (2007).

Provided courtesy of the Southern Regional Childhood Lead Poisoning Prevention Coalition

*SouthJerseyLead.com*

The SRCLPP Coalition is funded by the NJ Department of Community Affairs and the NJ Department of Health and Senior Services. The Coalition's activities are coordinated by the Southern New Jersey Perinatal Cooperative.

Southern New Jersey Perinatal Cooperative, 2500 McClellan Avenue, Suite 250, Pennsauken, New Jersey 08109  
Phone: 856.665.6000 Fax: 856.665.771 [www.snjpc.org](http://www.snjpc.org)

# Cape May County, New Jersey

## Childhood Lead Poisoning Data for Top 10 Municipalities

Municipality	Total Number of Children with 10+mcg/dL	Screening Rate	Number of Unscreened Children
Lower Township	1	21.2%	1,154
Middle Township	3	17.1%	962
Upper Township	0	15.6%	775
Ocean City	0	6.9%	622
Dennis	0	8.7%	483
Woodbine Borough	1	16.6%	482
Wildwood	4	33.3%	325
Cape May City	1	11.7%	189
North Wildwood	1	18.2%	189
Wildwood Crest	1	21.3%	163

### NOTES:

- Data sources: NJ Department of Health and Senior Services and US Census 2000.
- Children are defined as those 6 years of age and younger.
- Mcg/dL. Unit of measurement for blood lead levels (BLL). A BLL test is the only way to determine if a child has been exposed to dangerous levels of lead.
- Number of unscreened children derived by subtracting the number of children screened from the total number of children living in the municipality (2007).

### Provided courtesy of the Southern Regional Childhood Lead Poisoning Prevention Coalition

*SouthJerseyLead.com*

The SRCLPP Coalition is funded by the NJ Department of Community Affairs and the NJ Department of Health and Senior Services. The Coalition's activities are coordinated by the Southern New Jersey Perinatal Cooperative.

Southern New Jersey Perinatal Cooperative, 2500 McClellan Avenue, Suite 250, Pennsauken, New Jersey 08109  
Phone: 856.665.6000 Fax: 856.665.771 [www.snjpc.org](http://www.snjpc.org)

# Cumberland County, New Jersey

## Childhood Lead Poisoning Data for Top 10 Municipalities

Municipality	Total Number of Children with 10+mcg/dL	Screening Rate	Number of Unscreened Children
Vineland	18	29.0%	3,034
Millville	26	22.2%	1,775
Bridgeton	83	56.7%	864
Upper Deerfield	2	20.2%	509
Commercial	1	16.0%	377
Fairfield	0	19.8%	268
Maurice River	2	12.7%	226
Lawrence	1	18.7%	174
Hopewell	1	39.8%	153
Deerfield	0	30.1%	137

### NOTES:

- Data sources: NJ Department of Health and Senior Services and US Census 2000.
- Children are defined as those 6 years of age and younger.
- Mcg/dL. Unit of measurement for blood lead levels (BLL). A BLL test is the only way to determine if a child has been exposed to dangerous levels of lead.
- Number of unscreened children derived by subtracting the number of children screened from the total number of children living in the municipality (2007).

### Provided courtesy of the Southern Regional Childhood Lead Poisoning Prevention Coalition

*SouthJerseyLead.com*

The SRCLPP Coalition is funded by the NJ Department of Community Affairs and the NJ Department of Health and Senior Services. The Coalition's activities are coordinated by the Southern New Jersey Perinatal Cooperative.

Southern New Jersey Perinatal Cooperative, 2500 McClellan Avenue, Suite 250, Pennsauken, New Jersey 08109  
Phone: 856.665.6000 Fax: 856.665.771 [www.snjpc.org](http://www.snjpc.org)

# Gloucester County, New Jersey

## Childhood Lead Poisoning Data for Top 10 Municipalities

Municipality	Total Number of Children with 10+mcg/dL	Screening Rate	Number of Unscreened Children
Woodbury	5	17.1%	5,747
Washington Township	0	13.6%	3,125
Monroe	1	18.1%	1,882
Deptford	3	16.0%	1,680
Glassboro	1	13.6%	1,260
West Deptford	0	8.8%	1,253
Mantua	1	9.8%	1,227
Franklin Township	0	14.6%	980
Harrison	0	10.1%	849
Woodbury Heights	0	11.1%	679

### NOTES:

- Data sources: NJ Department of Health and Senior Services and US Census 2000.
- Children are defined as those 6 years of age and younger.
- Mcg/dL. Unit of measurement for blood lead levels (BLL). A BLL test is the only way to determine if a child has been exposed to dangerous levels of lead.
- Number of unscreened children derived by subtracting the number of children screened from the total number of children living in the municipality (2007).

### Provided courtesy of the Southern Regional Childhood Lead Poisoning Prevention Coalition

*SouthJerseyLead.com*

The SRCLPP Coalition is funded by the NJ Department of Community Affairs and the NJ Department of Health and Senior Services. The Coalition's activities are coordinated by the Southern New Jersey Perinatal Cooperative.

Southern New Jersey Perinatal Cooperative, 2500 McClellan Avenue, Suite 250, Pennsauken, New Jersey 08109  
Phone: 856.665.6000 Fax: 856.665.771 [www.snjpc.org](http://www.snjpc.org)

# Salem County, New Jersey

## Childhood Lead Poisoning Data for Top 10 Municipalities

Municipality	Total Number of Children with 10+mcg/dL	Screening Rate	Number of Unscreened Children
Pennsville	0	8.4%	844
Pittsgrove	0	3.6%	560
Salem City	5	16.6%	514
Carneys Point	0	16.9%	463
Penns Grove	1	22.6%	390
Upper Pittsgrove	1	3.9%	224
Woodstown	1	6.0%	202
Alloway	0	16.5%	182
Quinton	1	10.5%	170
Pilesgrove	1	19.9%	161

### NOTES:

- Data sources: NJ Department of Health and Senior Services and US Census 2000.
- Children are defined as those 6 years of age and younger.
- Mcg/dL. Unit of measurement for blood lead levels (BLL). A BLL test is the only way to determine if a child has been exposed to dangerous levels of lead.
- Number of unscreened children derived by subtracting the number of children screened from the total number of children living in the municipality (2007).

### Provided courtesy of the Southern Regional Childhood Lead Poisoning Prevention Coalition

*SouthJerseyLead.com*

The SRCLPP Coalition is funded by the NJ Department of Community Affairs and the NJ Department of Health and Senior Services. The Coalition's activities are coordinated by the Southern New Jersey Perinatal Cooperative.

Southern New Jersey Perinatal Cooperative, 2500 McClellan Avenue, Suite 250, Pennsauken, New Jersey 08109  
Phone: 856.665.6000 Fax: 856.665.771 [www.snjpc.org](http://www.snjpc.org)